RELION XE4112

A VERSATILE, SCALABLE 4U SERVER FOR DATA CENTER AND HPC WORKLOADS



OVERVIEW

Modern data centers need flexible computing resources that can be deployed at scale. The Penguin Computing Relion® XE4112 provides dual Intel® Xeon® Scalable processors, fast and efficient memory, and up to 36 3.5" drive bays for flexible and dense storage. With powerful compute and dense storage in a single server, the Relion XE4112 is an optimal platform for data center and HPC deployments at scale.



FEATURES & BENEFITS

- Dual Intel® Xeon® Scalable Processors at up to 205W each for performance configurations
- Up to twenty-four (24) DDR4-2933MHz ECC memory modules to deliver speed and efficiency for data-intensive workloads
- Storage density for thirty-six (36) 3.5" hot-swap drive bays with SAS/SATA and NVMe support
- Up to four (4) PCI Express x16 Gen 3 expansion slots for additional connectivity

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATIONS		
Form Factor	4U Rackmount			
Processors	Processor Number:	2		
	Processor Type:	Intel® Xeon® Scalable Processors		
	Maximum TDP:	205W		
Motherboard	Chipset:	Intel Lewisburg C620 Series		
Board Management	BMC Chipset:	ASpeed AST2500		
	Dedicated BMC Interface:	RJ45		
Memory	Memory Type:	DDR4-2933MHz ECC, Intel® Optane™ DC Persistent Memory		
	Memory Capacity:	Up to 2TB DDR4 / 4TB with Intel® Optane™ DC Persistent Memory (16x DIMMs)		
Internal Storage Controller	Onboard Controller:	Intel Lewisburg C620 Series		
Hard Drive Bays	3.5":	36x Hotswap SAS/SATA		
	2.5":	2x Hotswap SATA		
Networking	Ethernet Controller	Intel® X722 + Qlogic QL41102		
	On-Board LAN	2x GbE/RJ45 + 2x 10GbE/SFP+		
PCI Expansion Slots	Number of Slots/Gen/Spee	Number of Slots/Gen/Speed (Size)		
	4x PCIe Gen3 x16 (LP)	4x PCIe Gen3 x16 (LP)		

FEATURE	TECHNICAL SPECIFICATIONS			
GPU	GPU Capable:	No		
External I/O Interfaces	USB Ports:	4x USE	4x USB 3.0 (2x front, 2x rear)	
	VGA Ports:	Yes		
	Serial Ports:	None		
Power System	Power Supply Size:	2x 1200W PSU, 80Plus Platinum		
Regulatory Compliance	Regulations:	CE, FCC		
Mounting Hardware	Rackmount Rails:	Rails: Tool-less Rails		
Operating Environment	Operating Temperature:		15C to 35C (59F to 95F)	
	Non-operating Temperature:		0C to 70C (0F to 158F)	
	Operating Relative Humidity:		30% to 80% (non-condensing)	
	Non-operating Relative Hui	midity:	5% to 90% (non-condensing)	
System Dimensions	Height: 6.91" Width: 19.00" Depth: 24.60"			
Warranty	3 year standard; Up to 4 years on-site available.			

Learn More

Configure your ideal server at www.penguincomputing.com.

For pricing on your specific configuration, contact a representative by email at sales@penguincomputing.com or call 1-888-PENGUIN (736-4846).

Purchase with Financing

Finance products, services, even soft costs with Penguin Computing Capital. Choose from options such as no money down, flexible billing choices, extended repayment timelines, and a variety of end-of-term alternatives.

About Penguin Computing, a SMART Global Holdings Company

Penguin Computing, a U.S.-based global provider of high-performance computing (HPC), artificial intelligence (AI) and machine learning, and data center solutions, has been serving industry for over 20 years. Penguin offers a comprehensive portfolio of hardware and software including solutions based on the Open Compute Project (OCP), as well as extensive services including financing and top-rated customer support. Penguin Computing products include Linux-based servers, software, integrated turn-key clusters, enterprise-grade storage, and bare metal HPC, all available in hardware or cloud-based solutions via Penguin Computing® On-DemandTM (POD). Penguin Computing is a subsidiary of SMART Global Holdings, Inc.







